

Automatic Deck-Mounted Soap Dispenser



HKWANG

A new sensor technique is adopted to prevent any interference at the sink. Its dispensing volume is stable and operates very quietly. It is very easy to refill soap and replace batteries for our deck mounted soap dispenser, and it can dispense either liquid soap, foam soap or sanitizer spray with a simple change of the pump.



DECK-MOUNTED RANGE

Why HK-CSD?

Specs



hands-free



AC power



1,500 ml soap bottle
(optional 3,000 ml)



foam: one drop 0.6-0.8 ml



liquid: one drop 1.0-1.2 ml



disinfectant spray:
one drop 1.0-1.2 ml

Design



easy maintenance



switchable soap type



refillable soap bottle



stable sensing distance



LED indicator



quiet operation

Suitable for...



airport



train station



restaurant



shopping mall



office



hotel




kindergarten




postnatal care
center


Specification



Model Name: HK-CSD13 / 23 / 33
Spout Material: Stainless steel (#304)
Spout Finish: Satin or Bright
Power Source: AC




Model Name: HK-CSD14R / 24R / 34R
Spout Material: Stainless steel (#304)
Spout Finish: Satin or Bright
Power Source: AC only



Model Name: HK-CSD15R / 25R / 35R
Spout Material: Stainless steel (#304)
Spout Finish: Satin or Bright
Power Source: AC only

Mechanism



1500 ml (50.7 fl oz)

3000 ml (101.4 fl oz)



Specification

Packaging (carton): HK-CSD13 / 23 / 33 : 6 dispensers/carton. G.W. 8.8 kg. Meas. 2.45'
 HK-CSD14R / 24R / 34R : 6 dispensers/carton. G.W. 9.2 kg. Meas. 2.45'
 HK-CSD15R / 25R / 35R : 6 dispensers/carton. G.W. 9.2 kg. Meas. 2.45'

Soap Pump Life: 100k cycles


Mechanism Life: 500k cycles




Viscosity Range: 1-3000 Cp(Mpas) (Liquid)
 Foaming Soap (Foam)

Light Indication: Solid green light: wrong type of soap
 Flashing green light: empty soap bottle (1500 ml soap bottle only)

Smart Design: All key parts are independent for easy maintenance.
 Container assembly and mechanism of dispenser are 100% separation; mechanism is free from damage by soap.

Safety Approvals: **CE** **RoHS** **LVD** **EMC**



-  Liquid Soap: HK-CSD13 / 14R / 15R
-  Foam Soap: HK-CSD23 / 24R / 25R
-  Disinfectant Spray: HK-CSD33 / 34R / 35R

